






HONDA





SOICHIRO HONDA

"We have one future and it will be made of our dreams, if we have the courage to challenge convention." Soichiro Honda

We have lived by this philosophy since 1948, when the Honda Motor Corporation was formed. Big dreams produced a massive future. Today, Honda produces innovative and reliable products for almost every application – from lawnmowers to corporate jets. Every product is designed to make life more joyful for you and less impactful to the planet.

HONDA INNOVATION

NSX SUPER CAR

The Honda NSX is the rebirth of an icon representing the ultimate combination in power, sportiness and efficiency. Dubbed the new sports experience, it was developed under the concept of a "human-centred supercar". The NSX puts the driver first in every aspect of its design.

leveraging its state-of-the-art hybrid supercar power unit, body and chassis to deliver an exceptionally intuitive and immediate response to driver inputs.



MOTORCYCLES

Our designers focus on the rider rather than the machine. We use this process to create motorcycles that win Moto GPs and perform perfectly on the daily commute. What's more, all the knowledge is shared, from 1800cc grand tourers such as the Goldwing, to 50cc fun bikes such as the CRF50.

BLUE SKIES FOR OUR CHILDREN

As pioneers of environmental technologies, our engineers have been exploring ways for our children to enjoy a free and sustainable future since the company's inception. Today, sustainability is still top of our agenda. In June 2011 we pledged to cut our 2000 CO_2 emission levels from all our global products, equipment and corporate activities by 30 per cent by the end of 2020. We're also firmly committed to powering our vehicles with

innovative renewable technologies wherever we can.



HONDAJET

We push the boundaries of human mobility whether it's on the road, on the track or in the sky. In 1997 a thought became a sketch. Instead of putting the engines below the wing, we put them above it. By 2000 HondaJet had progressed to the point that a new research facility was established exclusively for its development. Today, HondaJet is in the air. With its all-composite fuselage, it is lighter, quieter, more fuel efficient and emits as little as 40 per cent of the pollutants of comparable aircraft.

ASIMO

Back in 1986, our engineers created ASIMO: the world's most advanced humanoid robot. ASIMO cleverly recreates human motion to walk and run on slopes and uneven surfaces. It can make smooth turns, climb stairs and pick up objects. ASIMO can even respond to simple voice commands and recognise the

faces of a select group of individuals. Using its camera eyes, ASIMO can skillfully map its environment to navigate around stationary and moving objects.

WORLD'S LARGEST ENGINE MANUFACTURER

Honda is the world's largest manufacturer of engines. For the fiscal year ending March 2017, Honda produced and marketed more than 28.8 million units globally for a diverse array of automotive, motorcycle, marine and power equipment products. Honda offers a complete line of small, general purpose engines for commercial, rental industry and consumer applications. Honda engines are some of the quietest and easiest to start of their kind, even in harsh commercial and construction

environments. These attributes have made Honda engines the popular choice for original equipment manufacturers looking to add value to their own brands.



QUIETER AND CLEANER

Honda 4-Stroke engines are lower pitched, quieter and emit less CO emissions than 2-Stroke engines. Plus, they're built stronger to last longer.

NO FUEL MIXING

4-Stroke engines run on unleaded fuel meaning you'll never have to mix oil and petrol ever again!







It's OUR reputation to make sure our products Start First Time, Every Time.



BETTER FUEL ECONOMY

Engineered to the highest levels, tested in harsh Australian conditions and built to last.

WARRANTY

Backed by more than 400+ Honda Specialist Dealers Australia wide, each Honda product offers extensive warranties ensuring peace of mind the next time you upgrade to a Honda.

DOMESTIC RANGE - NO FUEL MIXING



HRU19K1/M1 PUSH MOWER ENGINE BRAKE

- Ideal for medium lawns and the residential user
- Added safety with Honda's Engine Brake Technology
- Reliable 4-Stroke GCV160 engine
- Rustproof aluminium 19" cutter deck
- · 60 litre Dacron grass bag
- Mulching function only available on the HRU19M1
- 4 year warranty*





HRU19K1PKUA / HRU19M1PKUA

\$**799**

\$839



HRS216PKU SIDE CHUTE ENGINE BRAKE

\$699

- Ideal for small to medium lawns and the residential user
- Added safety with Honda's Engine Brake Technology

Reliable 4-Stroke GCV160 engine
Rugged vet lightweight solid

 Rugged yet lightweight soli steel 21" cutter deck

- Side discharge chute
- Mulching function
- 2 year warranty[‡]




HRS216K5PKUA/ HRS216K6PKUA (Pictured)

HRE370 **ELECTRIC**

\$399





- polymer deck
 35 litre Dacron
- grass bag



HRE370A2PLE

HRR216PKU PUSH MOWER ENGINE BRAKE

\$699

· Ideal for medium lawns and the residential user



HRR216VKU SELF PROPELLED ENGINE BRAKE

\$**799**

Ideal for medium lawns and the residential user

• Added safety with Honda's Engine Brake Technology

Reliable 4-Stroke GCV160 engineSelf propelled, variable speed Smart Drive

Rugged yet lightweight solid steel
 21" cutter deck

66 litre Dacron grass bag

• 3-in-1 System with Clip Director®
– mulch, bag and discharge

 MicroCut® Twin Blades for improved mulching performance

2 year warranty[‡]

HRR216K9VKUA/ HRR216K10VKUA (Pictured) HRR216VYU
SELF PROPELLED
BLADE BRAKE

\$899

· Ideal for medium lawns and the residential user

Added safety with Honda's Blade Brake Technology

Reliable 4-Stroke GCV160 engineSelf propelled, variable speed Smart Drive

 Rugged yet lightweight solid steel 21" cutter deck

• 66 litre grass bag

3-in-1 System with Clip Director®

 mulch, bag and discharge

 MicroCut® Twin Blades for improved mulching performance

2 year warranty[‡]

HRR216K9VYUA/ HRR216K10VYUA (Pictured)




PREMIUM RANGE

LAWNMOWER FEATURES

HRX217HYU SELF PROPELLED **BLADE BRAKE**

\$1299

· Ideal for medium to large lawns and the residential user



· Self propelled, hydrostatic cruise control

 Rustproof and impact resistant 21" NeXite® Deck

- · 88 litre grass bag
- 4-in-1 Versamow System[™] with Clip Director® - mulch, bag, discharge and leaf shred
- MicroCut® Twin Blade System for improved mulching performance
- 2 year warranty[‡]

BLADE BRAKE



\$1499

Ideal for medium to large lawns and the residential user

 Added safety with Honda's Blade Brake Technology • Reliable 4-Stroke GCV190 engine

 Self charging electric start Self propelled, hydrostatic cruise control

 Rustproof and impact resistant 21" NeXite® Deck

- · 88 litre grass bag
- 4-in-1 Versamow System[™] with Clip Director® - mulch, bag, discharge and leaf shred
- MicroCut® Twin Blades for improved mulching performance
- 2 year warranty[‡]

Battery charger: L08BATAC351MA

HRX217K5HZUA



NeXite® Deck

Extremely tough polymer material that will never rust, resists corrosion and abrasion and is super strong. HRX models only.



Steel Deck

Rugged, durable steel deck is designed for long life. HRS, HRR and HRC models only.



Electric Start

Effortless self charging key start, to reduce the need for "plug-in" charging. HRX217HZU only.



Mow Safe - Engine Brake

A safety feature that stops the blades and engine within 3 seconds upon release of the handle.



Mow Safe - Blade Brake

A safety feature that stops the blades within 3 seconds upon release of the handle, while the engine continues to run.



Side Chute

Unique to the HRS model, the side chute system means no wasted time emptying a grass catcher. HRS216PKU only.



4-in-1 Versamow System™ with Clip Director®

Honda's revolutionary Versamow System[™] allows you to mulch, bag, discharge and shred leaves - or even a combination of mulching and bagging! Just slide the convenient Clip Director® knob to choose how much grass is bagged or mulched. No tools or costly attachments are needed. It's the ultimate in convenience and versatility. HRX models only.



3-in-1 System with Clip Director®

Slide the Clip Director® to switch from mulching to bagging or discharge with just one touch. No need for a mulch plug or other attachments. HRR models only.



MicroCut® Twin Blade System

Honda's exclusive MicroCut® Twin Blade System uses four cutting surfaces that result in ultra fine clippings for superior mulching and up to 30% more clippings per bag. HRR, HRX and HRC models only.



Smart Drive

Easily adjust the mower's speed to your pace by rotating the control. Five position adjustable control for comfort. Variable speed from 0-6.5km/h. HRR216VKU and HRR216VYU models only.



Hvdrostatic Cruise Control

Honda's Hydrostatic Cruise Control allows precise speed control that's fully adjustable from 0-6.5km/h. HRX models only.



Easy Fold Handle

Easily adjust the handle to different comfortable mowing positions, or fold over for storage. HRS, HRR and HRX models only.



COMMERCIAL RANGE - NO FUEL MIXING





COMMERCIAL RANGE



HRU196M1 LONG RANGE PUSH MOWER BLADE BRAKE

\$1169

· Ideal for medium to large lawns and the serious contractor

· Added safety with Honda's Blade Brake Technology

• Rustproof aluminium 19" cutter deck • Long range 65 litre Dacron grass bag

• Reliable 4-Stroke GXV160 engine

Mulching function

Snorkel kit

4 year warranty*



HRU196M1PBUX

HRC216PDU **PUSH MOWER ENGINE BRAKE**

\$1199

· Ideal for large lawns and the serious contractor

Added safety with Honda's Engine Brake Technology

• Reliable 4-Stroke GSV160 engine

• Rugged yet lightweight solid steel 21" cutter deck

 Large NeXite® wheels improve manoeuvrability and durability

88 litre grass bag

• MicroCut® Twin Blades for improved mulching performance

Mulching function

· 2 year warranty[‡]

MOW-SAFE

HRC216K3PDUA

HRU196M1 **PUSH MOWER BLADE BRAKE**

\$1169

Ideal for medium lawns and the serious contractor

· Added safety with Honda's Blade Brake Technology

• Reliable 4-Stroke GXV160 engine • Rustproof aluminium 19" cutter deck

· 60 litre Dacron grass bag

Mulching function

· Snorkel kit

4 year warranty*



HRU196M1PBUH

HRU216M2 **SELF PROPELLED BLADE BRAKE**

· Ideal for large lawns and the serious contractor · Added safety with Honda's Blade Brake Technology

• Reliable 4-Stroke GXV160 engine

• Rustproof aluminium 21" cutter deck

• 70 litre Dacron grass bag

Mulching function

· Self propelled operating with a 3-speed gear box

· Snorkel kit

4 year warranty



HRU216M2TBUH

AIR FILTERS



HRU19, HRU197, HRC216 Models 17211-ZL8-023 **\$8.70** HRR, HRS, HRX Models 17211-78B-901 **\$8.08**



HRU196, HRU216 Models 17210-Z1V-003 **\$31.90**



ENGINE OIL

200mL / L1002-P08-007: \$9.13 1 Litre / L1002-P08-001: \$12.60 4 Litre / L1002-P08-006: \$39.30



LAWNMOWER BLADES

HRU 19" Swing Back Blade 2 Blade Kit From \$14.94 **HRU 19" Swing Back Blade** 4 Blade Kit From \$28.40



HRS Blade 72511VG3000 **\$25.03 HRC Upper Blade** 72531VK6010 **\$28.72 HRC** Lower Blade 72511VK6000 **\$35.33** HRR, HRX Upper Blade 72531VH7000 **\$27.26 HRR** Lower Blade 72511VL0S00 **\$39.38 HRX Lower Blade** 72511VH7000 **\$30.62**



All prices listed include GST and are recommended retail prices only. There is no obligation to comply with the recommendation

LAWNMOWER SPECIFICATIONS



	DOMESTIC RANGE							
Product Code	HRE370	HRU19K1	HRU19M1	HRS216PKU	HRR216PKU	HRR216VKU	HRR216VYU	
	ELECTRIC	PUSH MOWER	PUSH MOWER	SIDE CHUTE	PUSH MOWER	SELF PROPELLED	SELF PROPELLED	
Mow Safe Technology	Yes	Engine Brake	Engine Brake	Engine Brake	Engine Brake	Engine Brake	Blade Brake	
Engine	1.3kW AC	GCV160	GCV160	GCV160	GCV160	GCV160	GCV160	
Engine Spec	Electric	OHV/OHC	OHV/OHC	OHV/OHC	OHV/OHC	OHV/OHC	OHV/OHC	
Auto Choke	-	Yes	Yes	Yes	Yes	Yes	Yes	
Snorkel	No	No	No	No	No	No	No	
Chassis	Polymer	Aluminium Alloy	Aluminium Alloy	Solid Steel	Solid Steel	Solid Steel	Solid Steel	
Cutting Width	14.5" (368mm)	19" (470mm)	19" (470mm)	21" (530mm)	21" (530mm)	21" (530mm)	21" (530mm)	
Cutting Height Adjustment	1 Lever	1 Lever	1 Lever	4 Wheels	4 Wheels	4 Wheels	4 Wheels	
Cutting Height Range	5 Stages 18-65mm	11 Stages 16-75mm	11 Stages 16-75mm	6 Stages 30-100mm	6 Stages 30-100mm	6 Stages 30-100mm	6 Stages 30-100mm	
Self Propelled	No	No	No	No	No	Yes	Yes	
Speeds	Push	Push	Push	Push	Push	Variable	Variable	
Wheel Diameter (mm)	160	200	200	200	200	200	200	
Grass Catcher	Dacron Bag	Dacron Bag	Dacron Bag	No	Yes	Yes	Yes	
Catcher Capacity	35 Litres	60 Litres	60 Litres	-	66 Litres	66 Litres	66 Litres	
Fuel Type	-	Unleaded	Unleaded	Unleaded	Unleaded	Unleaded	Unleaded	
Fuel Tank Capacity	-	0.91 Litres	0.91 Litres	0.91 Litres	0.93 Litres	0.93 Litres	0.93 Litres	
Mulching Capability	-	No	Yes	Yes	Yes	Yes	Yes	
Rear Discharge Capability	-	Yes	Yes	No	Yes	Yes	Yes	
Wash Port	-	Yes	Yes	No	No	No	No	
Mower Code	HRE370A2PLE	HRU19K1PKUA	HRU19M1PKUA	HRS216K5PKUA HRS216K6PKUA	HRR216K9PKUA HRR216K10PKUA	HRR216K9VKUA HRR216K10VKUA	HRR216K9VYUA HRR216K10VYUA	
RRP	\$399	\$799	\$839	\$699	\$699	\$799	\$899	

LAWNMOWER SPECIFICATIONS



PREMIUI	M RANGE	COMMERCIAL RANGE						
HRX217HYU	HRX217HZU	HRU196/HERITAGE	HRU196M1/ LONG RANGE	HRU196M1	HRC216PDU	HRU216M2		
SELF PROPELLED	ELECTRIC START	PUSH MOWER	PUSH MOWER	PUSH MOWER	PUSH MOWER	SELF PROPELLED		
Blade Brake	Blade Brake	Engine Brake	Blade Brake	Blade Brake	Engine Brake	Blade Brake		
GCV190	GCV190	GXV160	GXV160	GXV160	GSV160	GXV160		
OHV/OHC	OHV/OHC	OHV with Cast-Iron Bore	OHV with Cast-Iron Bore	OHV with Cast-Iron Bore	OHV/OHC with Cast-Iron Bore	OHV with Cast-Iron Bore		
Yes	Yes	No	No	No	No	No		
No	No	Yes	Yes	Yes	No	Yes		
NeXite®	NeXite®	Aluminium Alloy	Aluminium Alloy	Aluminium Alloy	Solid Steel	Aluminium Alloy		
21" (530mm)	21" (530mm)	19" (470mm)	19" (470mm)	19" (470mm)	21" (530mm)	21" (530mm)		
4 Wheels	4 Wheels	1 Lever	1 Lever	1 Lever	4 Wheels	1 Lever		
7 Stages 19-100mm	7 Stages 19-100mm	11 Stages 16-75mm	11 Stages 16-75mm	11 Stages 16-76mm	8 Stages 19-100mm	11 Stages 16-76mm		
Yes	Yes	No	No	No	No	Yes		
Variable	Variable	Push	Push	Push	Push	3 speeds		
230	230	200	200	200	230	200		
Yes	Yes	Polymer Catcher	Dacron Bag	Dacron Bag	Yes	Dacron Bag		
88 Litres	88 Litres	54 Litres	65 Litres	60 Litres	88 Litres	70 Litres		
Unleaded	Unleaded	Unleaded	Unleaded	Unleaded	Unleaded	Unleaded		
0.93 Litres	0.93 Litres	1.5 Litres	1.5 Litres	1.5 Litres	1.1 Litres	1.5 Litres		
Yes	Yes	Yes	Yes	Yes	Yes	Yes		
Yes	Yes	Yes	Yes	Yes	Yes	Yes		
No	No	No	Yes	Yes	Yes	Yes		
HRX217K5HYUA	HRX217K5HZUA	HRU196M1PWUY	HRU196M1PBUX	HRU196M1PBUH	HRC216K3PDUA	HRU216M2TBUH		
\$1299	\$1499	\$1149	\$1169	\$1169	\$1199	\$1749		

BRUSHCUTTERS AND ACCESSORIES





SAFETY GEAR



FACE SHIELD KIT

Kit includes clear visor AS/NZS 1337.1:2010, mesh visor and earmuffs AS/NZS 1270:2002. Part No. L08VE008R

\$67.60





\$319

150gsm lightweight fabric. Aircell mesh under arms for breathability. Moisture wicking properties to help keep you drier and cooler. Part No. L08PS004P

\$49.99



CONTRACTOR HI-VIS VEST

Adjustable velcro sides – one size fits all. Part No. L08VT400HVPE **\$18.00**

BRUTILITY GARDENING GLOVES



Comfortable and versatile gloves for all your gardening work.
Part No. L08GL020
\$19.75

SAFETY CHAPS



Tough polyester outer with comfortable poly cotton lining; provides the ultimate leg protection.
Part No. L08BC007B

\$61.05

BRUSHCUTTERS AND ACCESSORIES

HONDA

UMK425 LOOP HANDLE

- Generation II 25cc Mini 4-Stroke OHV/OHC commercial grade engine
- · Anti-vibration engine mount
- · Heavy duty 'tap and go' nylon line head
- · Safety goggles and a single operator harness included
- · Optional blade kit available
- 4 year warranty*



UMK425 BIKE HANDLE



- · Generation II 25cc Mini 4-Stroke OHV/OHC commercial grade engine
- · Anti-vibration engine mount
- · Heavy duty 'tap and go' nylon line head
- · Safety goggles and a full operator harness included



UMK435 LOOP HANDLE


- Generation II 35cc Mini 4-Stroke OHV/OHC commercial grade engine
- · Anti-vibration engine mount
- · Heavy duty 'tap and go' nylon line head
- · Safety goggles and a single operator harness included
- · 4 year warranty*



UMK435 BIKE HANDLE

\$799

- Generation II 35cc Mini 4-Stroke OHV/OHC commercial grade engine
- · Anti-vibration engine mount
- · Heavy duty 'tap and go' nylon line head





HEDGETRIMMER ATTACHMENT

The hedgetrimmer attachment is purposely designed to attach to Honda's straight shaft (UMK425/UMK435) brushcutter.



Part No. 06260VL6000AU

PRUNER ATTACHMENT

The pruner attachment is designed for trimming and cutting high branches in commercial and domestic applications. It is purposely designed to attach to Honda's straight shaft (UMK425/ UMK435) brushcutter.



\$345

Part No. 06250VI 6000AU

OTHER ACCESSORIES AVAILABLE - CHECK IN STORE OR ONLINE FOR FURTHER DETAILS



NEW TRIMMER LINE

Round Trimmer Line

2.4 x 125G L1024UMK125RD **\$9.90** 2.4 x 225G L1024UMK225RD **\$15.40**

Star Trimmer Line

2.4 x 225G L1024UMK225SR \$15.40

Silent Trimmer Line

2.4 x 125G L1024UMK125ST \$9.90 2.4 x 225G L1024UMK225SR \$15.40



All prices listed include GST and are recommended retail prices only. There is no obligation to comply with the recommendation.

HANDHELD RANGE





VERSATOOL – A POWERFUL CHOICE



1. SELECT POWERHEAD

VERSATOOL \$589 \$489 **POWER HEAD** • Powered by Honda's famous 4-Stroke 25cc or 35cc engines • UMC425 suitable for the residential user • UMC435 suitable for the contractor · Delivers 'starts first time every time' reliability and superior performance 4 year warranty* UMC425ULAUT UMC435ULAUT



2. SELECT ATTACHMENTS

BRUSHCUTTER

- · Designed for cutting and clearing, making lawn maintenance easy
- · Ergonomically designed easy-grip loop handle
- · Durable 'tap and go' nylon head



CULTIVATOR

\$399

- · Makes tilling, aerating and cultivating of soil easy
- 170mm width makes the cultivation of garden plots and lawns simple and stress-free



HEDGETRIMMER (SHORT SHAFT)

\$379

- A lighter, more compact version of the Hedgetrimmer (Long Shaft)
- · Perfect for the domestic operator
- Features a 550mm double-sided blade with a 90mm shaft length



BLOWER

\$199

- One of the most compact and lightweight blower attachments available
- · Easily keeps garden paths, driveways, lawns and verandas free of leaves and debris

SSBLU

HEDGETRIMMER (LONG SHAFT)

\$399

- · Longer attachment designed for trimming foliage and tall hedges
- · Perfect for the commercial contractor



SSHHLU

EDGER

\$239

- · The perfect tool to keep unsightly weeds and grass from popping up
- · Easy-to-use adjustable height mechanism



PRUNER

\$379

- · Designed for trimming, pruning and cutting high branches
- Features a 12" bar length with a 3/8" Oregon saw chain
- · Suitable for domestic and commercial settings



EXTENSION POLE

- · Lightweight extension pole allows for more reach with an extra 1085mm length
- · Suitable for the Pruner and Hedgetrimmer (Short Shaft) attachments



SSESLU

TILLER RANGE





FG110 OPTIONAL ACCESSORIES





Edger 06728V25000

Aerator 06727V25000





De-Thatcher 06729V25000

Heavy-Duty Digging Tines 06726V25010

F220

\$1499

- Powerful GXV57 4-Stroke engine
- Multi-step adjustable handles
- Tilling depth 280mm



F501

\$21**79**

- Powerful GX160 4-Stroke engine
- 2 forward gears and 1 reverse
- Tilling depth 280mm



FR750

\$4369

- GX200 manual start 4-Stroke engine
- 2 forward gears and 1 reverse
- Tilling depth 120mm
- Tine width 600mm
- 4 year domestic warranty*



FRC800

\$3829

- Big GX240 4-Stroke engine
- 3 forward gears and 1 reverse
- Tilling depth 100mm
- Tine width 508mm
- 4 Year domestic warranty*



F220UT2

VOLUME PUMPS

TRASH PUMPS

WX10

- Economical 1" volume pump
- Maximum total head 37m
- Maximum suction head 8m
- Delivers 120L/min capacity



WX10TU

\$499

WX15

- Economical 1.5" volume pump
- Maximum total head 37m
- Maximum suction head 8m
- Delivers 280L/min capacity



WB20

- Portable 2" volume pump
- Maximum total head 32m
- Maximum suction head 8m
- Delivers 620L/min capacity

\$799

WB30

- Portable 3" volume pump
- · Maximum total head 28m
- Maximum suction head 8m
- Delivers 1100L/min capacity



WT20

- Portable 2" trash pump
- Maximum total head 30m
- · Maximum suction head 8m
- Delivers 710L/min capacity

WT30

- Portable 3" trash pump
- Maximum total head 27m
- Maximum suction head 8m
- Delivers a massive 1210L/min capacity





ENGINES

GX MINI 4-STROKE

- · Five models to choose from, including 25cc and 35cc variations
- Fully inclinable OHC engine



GC & GCV SERIES

\$699

- · Three variants to choose from
- · Horizontal and vertical shaft available
- OHC domestic engine



GX SERIES

- More than 70 model variants to choose from
- Horizontal shaft
- OHV commercial engine



GXV SERIES

- · Three horsepower models to choose from
- · Vertical shaft engines
- · OHV commercial engine



GX V-TWIN SERIES

- · New generation V-twins
- Three horsepower choices, seven models
- OHV commercial engine



GP SERIES

- 160cc
- · Perfect for light use and domestic applications





CHOOSING THE RIGHT GENERATOR



3-STEP PROCESS TO ENSURE YOU GET THE RIGHT GENERATOR

1 WHAT DO YOU WANT TO POWER?

Whether you have a small caravan or something a little more substantial, knowing your appliance ratings is going to help you in the long run. Write a list of all the appliances you want to have running at one time. Then find out the ratings of each appliance. You need to take into account start-up power.

FACTOR IN START-UP POWER

Start-up power is simply the power an appliance needs to begin operating. Appliances that run an electric motor (air conditioners, drills and sanders) can require 3-4 times the operating load but this is usually only needed for a very short period. Check the compliance plate on the unit for specifications.

PICK THE GENERATOR THAT SUITS YOUR NEEDS

If you look at your list, there's a high chance you're not going to need everything running at once. A kettle draws a lot of power but only runs for a minute or so, it won't hurt to turn off some appliances while the kettle boils. Just make sure you have the essentials covered. Let's say your total running power requirement is 1500W, with a start-up power requirement of 1900W, then the Honda EU22i Generator will be the right fit.

If you are unsure, consult your Authorised Honda Dealer.

た Air conditioning *ド units for caravans

If your caravan has an air conditioner then you need to make sure your generator can handle the power required for different situations. If you are in warmer climates trying to make your caravan cooler, then your air conditioning system is going to work harder, and therefore require more watts. Check with your manufacturer what the maximum operating load that the air conditioner will require is and pick a generator that will suit.

EU10i

\$1499

- Maximum output 1000W/240 volt AC and 8 amp DC to run appliances and charge automotive batteries simultaneously
- Whisper quiet operation from 52dB(A)
- Delivers better than commercial quality electricity
- Delivers greater fuel efficiency via the built-in Eco-Throttle
- Engine is protected via low oil alert system
- Up to 8 hours of continuous operation on a full fuel tank
- Lightweight 13kg



EU10iT1U

EU30iS1U

EU30is – ELECTRIC START \$4199

- Maximum output 3000W/240 volt AC and 12 amp DC to run appliances and charge automotive batteries simultaneously
- Whisper quiet operation from 52dB(A)
- Delivers better than commercial quality electricity
- Up to 20 hours of continuous operation on a full fuel tank
- Delivers greater fuel efficiency via the built-in Eco-Throttle
- · Low oil alert system protects engine
- · Hassle-free push-button electric start



EU30iu HANDY

\$3369

- Maximum output 3000W/240 volt AC and 8.3 amp DC to run appliances and charge automotive batteries simultaneously
- Whisper guiet operation from 57dB(A)
- Delivers better than commercial quality electricity
- · Starts first time, every time
- Up to 7.7 hours of continuous operation on a full fuel tank
- Delivers greater fuel efficiency via the built-in Eco-Throttle
- New high speed multi-point alternator is integrated into the engine to reduce size and weight
- Low oil alert system protects engine
- Lightweight for easy transportation – weighs only 35kg
- Easy use handle and high mobility tyres

EU30iK1U



EU70is

\$6599

- Maximum output 7000W/240 volt AC
- · Hassle-free push-button electric start
- Greater performance via automatic Eco-Throttle
- Easy storage and transport with a one push 'H' shaped fold down handle and large diameter wheels
- Better than commercial quality electricity thanks to microcomputer controlled Sine Wave Inverter
- Up to 18 hours of continuous operation on Eco-Throttle*
- · Whisper-quiet operation from LwA 90dB(A)

EU70iSUT

Lifting kit: 06531Z11E00ZA Wired remote control cable: 10m – 32380Z37800ZA 30m – 32380Z37820ZA



*With Eco-Throttle switched on when rated at 1/4 output. Usage applications are recommendations only

SUPER QUIET GENERATORS

The world's best selling leisure generator just got a whole lot better! With 200W MORE power, the all-new Honda EU22i Generator can power more than ever before. Used for leisure, back-up power and for the job site, it really packs a punch!

EU22i **GENERATOR**

\$2099

- Maximum output of 2200W/240 volt AC and 8.3 amp DC to run appliances and charge automotive batteries simultaneously
- · Delivers better than commercial quality electricity
- Delivers greater fuel efficiency via the built-in Eco-Throttle*
- · Engine is protected via low oil alert system
- · Increased diameter of oil filler for improved draining and catching of oil
- Improved recoil starter handle with new metal guard
- Up to 8 hours of continuous operation on Eco-Throttle*
- Whisper quiet operation from LwA 91dB(A)**
- Lightweight: 21kg
- Reliable 4-Stroke GXR120 engine
- EU22i engine is 20% larger in capacity than the EU20i
- Revs lower @1600W than the EU20i Generator
- A fuel shutoff valve allows the engine to continue to run until the majority of the fuel in the carburettor is consumed and the engine shuts off, preventing stale fuel issues and is useful for storing the generator

FU22iTU



200W **MORE POWER**

IMPROVED OIL ACCESS

GUARD

SWITCH

INDUSTRIAL GENERATORS



EM10000

\$5990^t

- Maximum output 9000W/240 volt AC
- 6.5 hours continuous operation on a full fuel tank when operated at rated load (8kVA)
- Enhanced product competitiveness by V-Twin engine that offers more fuel economy and less noise
- Extended operating time with a large capacity 31 litre fuel tank
- Easy-to-use control panel featuring 3 x 15 amp 240 volt outlets, 1 x 60 amp 240 volt outlet (plug included)

† Not sold in South Australia



EM10000K1UH

EP2200CX

\$1099

- Maximum output 2200W/240 volt AC
- Stable power source via Honda's Automatic Voltage Regulator (AVR) System
- Extended operating time with large capacity 14.5 litre fuel tank featuring a fuel gauge
- Easy-to-use control panel featuring 15 amp sockets, 8.3 amp battery charger and circuit breaker
- · Weighs 45kg



EM30

\$1999

- Maximum output 3000W/240 volt AC
- Quiet operation at 68dB(A)
- Can run appliances and charge batteries simultaneously
- Weighs 31kg
- Up to 6 hours of continuous operating on a full fuel tank



HONDA CYCLO-CONVERTER TECHNOLOGY

Honda's Cyclo-Converter Generator model offers power that is equal in quality to AVR (Automatic Voltage Regulator) generators but is dramatically lighter. This lighter weight is achieved by reducing the number of traditional parts with a CPU (Central Processing Unit). Honda Cyclo-Converter Technology offers the best power-to-weight ratio available anywhere. This is found on the EM30 model only.

EG3600CX

\$1939

- Maximum output 3600W/240 volt AC
- Strengthened electric performance with D-AVR (Digital Auto Voltage Regulator)
- Extended operating time with large capacity 24 litre fuel tank and gauge
- Easy-to-use control panel featuring 15 amp sockets, 8.3 amp battery charger and circuit breaker
- · Weighs 71kg



EG3600CXUH

Wheel kit: 06710Z22A30

EG4500CX

\$2099

- Maximum output 4500W/240 volt AC
- Strengthened electric performance with D-AVR (Digital Auto Voltage Regulator) with inverter-like stable voltage
- Easy and reliable starting via the mechanical decompression system
- Fully welded steel frame
- · Weighs 83kg



EG4500CXUH

Wheel kit: Lifting parts:

06710Z22A30 Hanger 53150Z22E30ZA x 1

Bracket 53154Z22E30ZA x 2 Bolts 957010801607 x 4 EG5500CX & EG5500CXS

\$2399

\$2799

- Maximum output 5500W/240 volt AC
- High output performance and fuel efficiency via Honda's revolutionary GX390 engine
- Strengthened electric performance with D-AVR (Digital Auto Voltage Regulator) with inverter-like stable voltage
- Reduced noise and vibration levels with large 'silent' muffler and anti-vibration engine mounts
- Extended operating time with large capacity 24 litre fuel tank and fuel gauge
- Easy and reliable starting via the mechanical decompression system and electric start (available on EG5500CXS model only, battery not included)
- Added equipment and engine protection with AC/DC circuit breakers and oil alert
- Weighs 84kg (5500CX) and 87kg (5500CXS), and has a convenient full frame ideal for easy transportation and engine protection

- Easy-to-use control panel featuring 15 amp sockets, 8.3 amp battery charger and circuit breaker
- · Fully welded steel frame



Wheel kit:

t: 06710Z22A30


Lifting parts: Hanger 53150Z22E30ZA x 1 Bracket 53154Z22E30ZA x 2 Bolts 957010801607 x 4

18

SPECIFICATION CHART



NOOIS	> EU70is EU70iSUT GX390 19.2 Litres 18hr**/6.5hr	†Operating Noise
File Model Code	EU70ISUT GX390 19.2 Litres 18hr ⁺ /6.5hr	
Engine	GX390 19.2 Litres 18hr ⁺ /6.5hr	
File Time Capacity 2 Litries 3 Litries 5 Litries 5 Litries 1 Lit	19.2 Litres 18hr ⁺ /6.5hr •	Level Calculatio
South Pressure of American Services	18hr ⁺⁺ /6.5hr •	
18 Sound Pressure (at 7m) 52dB(A)" (56dB(A) 52dB(A)" (56dB(A) 52dB(A)" (56dB(A) 52dB(A)" (56dB(A) 52dB(A)" (56dB(A) 5dB(A)" (5dB(A)"	•	LwA refers to sound po
Control Protector Ves Ve	• LwΔ 90dR/Δ)**	level and is measured
	Ι w Δ θυσβ(Λ)**	at rated load, which is
Max. AC Output (prover factor 1.0) ##AC AC CIPICAL PROVERSIVE (prover factor 1.0) ##AC AC OUTPUT (p	LWA JUUD(A)	standardised by EU noi
Packed Act Packed		regulation. It is measure
Activation Act	7000VA	from 6 directions by a
March Marc	5500VA	microphone placed 4
MAYH (mm)	N/A	metres from the produc
13kg 13kg 35.2kg 59kg (w/battery) 17k2TURES		a closed anechoic roon
FEATURES	848 x 700 x7 21	This room is not affected
Sectic Stater	118kg (w/battery)	environmental condition
Inverter		
No	Yes	dB refers to sound press
No	Inverter	level and is measured
Ves	Yes	from 4 directions (front
Ves	Yes	back, right and left) by
Ves	Yes	microphone that is place
No	Yes	7 metres from the prod
Ves		and 1.5 metres from the
Auto Throttle	Yes	lawn ground.
Auto Choke No No No No Aurge Capacity Air Cleaner Yes Yes<	Yes	It is not measured in a
Arge Capacity Air Cleaner	Eco-Throttle	closed room. Therefore
Ves	Fuel Injected	the data is affected by
Vest	Yes	environmental condition
Yes	Yes	such as temperature.
NODEL	Yes	
Full Model Code	Yes	
Engine	> EG5500CX/CXS	> EM10000
Fuel Tank Capacity 10.2 Litres 14.5 Litres 24 Litres 24 Litres 24 Litres 24 Litres Continuous Operating Hours 6hr 12.8hr 11.9hr 9.5hr Sounds Pressure (at 7m)* 68dB(A) 66dB(A) • LwA 97dB(A)** LwA 97dB(A)** LwA 98dB(A)** • LwA 97dB(A)** LwA 98dB(A)** • LwA 98dB(A)** • LwA 98dB(A)** • LwA 98dB(A)** • LwA 98dB(A)** LwA 98dB(A)* •	EG5500CXUH/EG5500CXSUH	EM10000K1UH
Fuel Tank Capacity	GX390	GX630
Continuous Operating Hours	24 Litres	31 Litres
Sounds Pressure (at 7m)* 68dB(A) 66dB(A)	8.1hr	6.5hr
Sound Power at (at 4m)¹ . LwA 97dB(A)¹* LwA 98dB(A)¹* > GENERATOR . LwA 97dB(A)¹* LwA 98dB(A)¹* Max. AC Output (power factor 1.0) 3000VA 2200VA 3600VA 4500VA Rated AC Output for Charging Automotive Batteries Only 12A 8.3A 8.3A 8.3A DIMENSIONS .		
SEMERATOR Max. AC Output (power factor 1.0) 3000VA 2200VA 3600VA 4500VA Rated AC Output (power factor 1.0) 2600VA 2000VA 3200VA 4000VA DC Rated Output for Charging Automotive Batteries Only 12A 8.3A 8.3A 8.3A NO NO 8.3A 8.3A 8.3A 8.3A NO 12A 8.3A 8.3A 8.3A 8.3A NO 12A 8.3A 8.3A 8.3A 8.3A NO 12A 8.3A	LwA 99dB(A)**	LwA 99.3dB(A)**
Max. AC Output (power factor 1.0) 3000VA 2200VA 3600VA 4500VA 4000VA 2000VA 3200VA 3200VA 4000VA 2000VA 3200VA 4000VA 2000VA 3200VA 4000VA 2000VA 3200VA 4000VA 2000VA 3200VA 4000VA 8.3A 8	2 (5502())	2.111 (35.542 ()
Rated AC Output 2600VA 2000VA 3200VA 4000VA DC Rated Output for Charging Automotive Batteries Only 12A 8.3A 8.3A 8.3A 8.3A > DIMENSIONS ***********************************	5500VA	9000VA
DC Rated Output for Charging Automotive Batteries Only 12A 8.3A	5000VA	8000VA
DIMENSIONS	8.3A	•
LxWxH (mm) 440 x 400 x 480 597 x 435 x 437 681 x 530 x 571 681 x 530 x 571 Dry Weight 31kg 45kg 71kg 83kg FEATURES 8 83kg Electric Starter No No No No Voltage Regulation Cyclo-Converter AVR D-AVRF D-AVRF Voltmeter No No No No AC Circuit Protector Yes Yes Yes	6.5A	
Dry Weight 31kg 45kg 71kg 83kg ► FEATURES Standard No No No Electric Starter No No No No Voltage Regulation Cyclo-Converter AVR D-AVR ^s D-AVR ^s Voltmeter No No No No AC Circuit Protector Yes Yes Yes	844 x 530 x 571 CXS	973 x 552 x 965
FEATURES No D-AVR* D-AVR* D-AVR* D-AVR* Voltmeter No	84kg CX/87kg CXS	162kg
Electric Starter No No No No Voltage Regulation Cyclo-Converter AVR D-AVR* D-AVR* Voltmeter No No No No AC Circuit Protector Yes Yes Yes	84kg CA/8/kg CA3	162kg
Voltage Regulation Cyclo-Converter AVR D-AVR* D-AVR* Voltmeter No No No No AC Circuit Protector Yes Yes Yes	CVC Out to (Postto us Not be about all)	Voc
Voltmeter No No No No AC Circuit Protector Yes Yes Yes	CXS Only (Battery Not Included)	Yes
AC Circuit Protector Yes Yes Yes Yes	D-AVR#	D-AVR#
	No	i-Monitor
C Circuit Protector Yes Yes Yes Yes	Yes	Yes
	Yes	No
ilot Lamp Yes No No No No	No	i-Monitor
uel Gauge Yes Yes Yes Yes	Yes	Yes
Dil Alert Yes Yes Yes Yes	Yes	Yes
auto Throttle N/A N/A N/A N/A N/A	N/A	N/A
auto Choke No No No No	No	No
arge Capacity Air Cleaner Yes Yes Yes Yes	Yes	Yes
arge Capacity Fuel Tank Yes Yes Yes Yes		Yes
Large Capacity Muffler Yes Yes Yes Yes Yes	Yes	Yes
Year Domestic Warranty* Yes Yes Yes Yes Yes	Yes Yes	



BEWARE!

Honda has always been a market leader in producing quality, innovative and environmentally friendly products. Unfortunately, there are unscrupulous Australian retailers and individuals who want to take advantage of the Honda brand. Some of these retailers and individuals are knowingly importing Honda-branded products that aren't designed for Australian consumers or Australian conditions. These products are often sold without after sales support and warranties that only a genuine Honda product can offer.

ASK YOUR AUTHORISED HONDA DEALER WHAT TO LOOK OUT FOR

AUTHORISED HONDA DEALERS

400+ National Dealer Network – providing the best advice and after sales service that is only available through specialist service dealers.



Disclaimer: All prices listed include GST and are recommended retail prices only, there is no obligation to comply with the recommendation. Not all products listed in the brochure are available from every Authorised Power Equipment Dealership. Honda MPE reserves the right to change specifications and price at any time. '4 year warranty applies to domestic use and does not apply to engines sold as separate units. '2 year warranty applies to domestic use of HRS, HRR, HRX and HRC models only.

VISIT POWEREQUIPMENT.HONDA.COM.AU OR

facebook.com/HondaPowerEquipmentAU

instagram.com/HondaPowerEquipmentAU

YouTube.com/HondaPowerEquipment

HONDA AUSTRALIA MOTORCYCLES & POWER EQUIPMENT PTY LTD | ABN 96 006 662 862 | For customer relations, call 1300 559 846

YOUR LOCAL AUTHORISED HONDA DEALER: